

Code: PROETER/2.4

## OMNIDIRECTIONAL ANTENNA **PROETER/2.4** 2.4 GHz

Net: **43.60 EUR** Gross: **43.60 EUR**

The PROETER/2.4 is an omnidirectional antenna designed for the use in base stations providing service to a medium number of clients, up to 1 ... 2 km distance.



### SPECIFICATION

|                            |                      |
|----------------------------|----------------------|
| Frequency range:           | 2.4 GHz ... 2.48 GHz |
| Gain :                     | 10 dBi               |
| Polarization:              | Vertical             |
| Horizontal beam width (H): | 360 °                |
| Vertical beam width (V):   | 23 °                 |
| VSWR:                      | 1:1.5                |
| Connector:                 | N socket             |
| Mast mounting diameter:    | 33 ... 50 mm         |
| Housing:                   | PVC, hermetic        |
| Weight:                    | 0.34 kg              |
| Dimensions:                | 685 x 80 x 35 mm     |
| Guarantee:                 | 2 years              |

### PRESENTATION

Antenna mounting on the mast:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60




Antenna connector:



Polar pattern for vertical polarization (respectively horizontal and vertical plane):



In the kit:



#### PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

