

Code: GTS-P1-08-4G2G

INDUSTRIAL POE SWITCH **GTS-P1-08-4G2G** 6-PORT + 2 x SFP

Net: **127.74 EUR** Gross: **127.74 EUR**

Due to the reliability and ensuring high quality of transmission, the GTS-P1-08-4G2G 10-port PoE switch is an ideal solution for applications in CCTV IP installations.



SPECIFICATION


LAN ports:	• 4 x RJ45 (4 PoE (802.3af/at)), • 2 x Uplink (port SFP / RJ45)
Management:	—
Transmission speed:	• 10 / 100 / 1000 Mbps - 2 x Port Uplink, • 10 / 100 / 1000 Mbps - 4 x LAN & PoE ports
Maximal output power:	30 W / port PoE
Maximal total power:	60 W
MAC addresses table:	4k
Main features:	• Possibility to mount on a wall, or on the DIN TS-35 rail • 2 x Port Uplink • Mounts for mounting the device in the RACK 10" system and a holder for mounting on the DIN TS-35 rail included
LED diodes:	Power, Link/Act, PoE, Uplink 10/100/1000 Mb/s
Certificates:	CE
Power supply:	53 V DC / 1.25 A (power adapter included)
Housing type:	DIN
Operation temp:	-40 °C ... 75 °C
Weight:	0.85 kg
Dimensions:	184 x 144 x 63 mm
Guarantee:	2 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:



Mounting side view:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------