

Code: CC13A-36/3W

AHD CAMERA **CC13A-36/3W** - 720p 3.6 mm

Net: **20.01 CAD** Gross: **20.01 CAD**

Megapixel camera with 1/2.8" Sony CMOS sensor and AHD (Analog High Definition).

The AHD interface allows to transmission of analog video signal via coaxial cable in 720p resolution. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.



SPECIFICATION

Standard:	AHD
Sensor:	1/2.8 " Sony CMOS IMX238
Digital Image Processor:	Nextchip NVP2431H
Matrix size:	1.0 Mpx
Resolution:	1280 x 720 - 720p, AHD-M
Range of IR illumination:	30 m
IR illuminator power adjustment:	—
Lens:	3.6 mm, 2 Mpx
View angle:	<ul style="list-style-type: none">• 71 ° (manufacturer data)• 65 ° (our tests result)
S/N ratio:	> 48 dB
Video output:	1 Vpp 75 Ω, AHD
Main features:	<ul style="list-style-type: none">• ICR - Movable InfraRed filter• 3D-DNR - Digital Noise Reduction• BLC - Back Light Compensation• AGC - Automatic Gain Control• Auto White Balance
OSD menu:	—
"Index of Protection":	IP65
Power supply:	12 V DC / 330 mA
Housing:	Compact, Metal
Color:	White
Operation temp:	-20 °C ... 60 °C
Weight:	0.328 kg
Dimensions:	180 x 63 x 63 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:

2 years

PRESENTATION


Front view:



Side view:



Mounting side view:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------