

Code: VTKB-VTO5000C-VTH1500AH

# VIDEO DOORPHONE KIT **VTKB-VTO5000C-VTH1500AH** DAHUA

Net: **239.37 EUR** Gross: **239.37 EUR**

The VTKB-VTO5000C-VTH1500AH is designed to cooperation with video doorphones and panels working in analog DAHUA system.  
ATTENTION! The device does not support the DAHUA IP system.



## SPECIFICATION

DOOR STATION:	
Sensor:	1/3 " CMOS, 600 TVL
IR illuminator:	—
proximity reader built-in:	—
Video output:	RJ-45, compatible with DAHUA analog video door-phone system
Operation temp:	-30 °C ... 60 °C
Power supply:	24 V DC
Power consumption:	≤ 4 W
Housing:	Plastic, Waterproof - IP54
Color:	White
Weight:	0.22 kg
Dimensions:	140 x 100 x 43 mm
INDOOR PANEL:	
Shield:	7 " TFT-LCD color matrix
Resolution:	800 x 480
Main features:	<ul style="list-style-type: none"><li>• Plug &amp; Play</li><li>• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume</li><li>• Alarm inputs : 2 pcs</li><li>• Additional gate control</li><li>• Firmware upgrade via RS-485 port</li><li>• Door lock (strike) - 2-wire cable installation (not included)</li></ul>
Power supply:	24 V DC
Max. current:	250 mA
Power consumption:	≤ 6 W

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Operation temp:	-5 °C ... 55 °C
Weight:	0.55 kg
Dimensions:	261 x 192 x 26 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

## PRESENTATION

Door station:  
Front view:




Mounting side view:






Connectors view:



INDOOR PANEL:  
Front view:




Mounting side view:






Connectors view:



Flush-mounting box included in the set:  
Front view:



Rear view:



Side view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

