

Code: KTA03

VIDEO DOORPHONE KIT **KTA03** DAHUA

Net: **210.90 EUR** Gross: **210.90 EUR**

DAHUA 4-wire Analog Video Doorphone Kit with 7-inch touch screen monitor, with the ability to detect the door status and support the exit button. Installation requires a 4-wire cable.



SPECIFICATION

DOOR STATION:	
Sensor:	1.3 Mpx CMOS
Camera view angle:	70 °
IR illuminator:	Built-in Infra-Red illuminator enables night monitoring
proximity reader built-in:	—
Video output:	compatible with DAHUA analog video door-phone system
Audio inputs:	1 - Microphone
Audio outputs:	1 - Speaker
Main features:	<ul style="list-style-type: none">• D-WDR - Wide Dynamic Range• ICR - Movable InfraRed filter• Operation status LED indicator - green LED - power indicator• Doorbell button• Inputs : Exit button, Door status detection• Doorway monitoring• Surface mount• Rain cover included
Power supply:	12 V DC / 1 A (powered by indoor monitor)
Power consumption:	≤ 3 W Operation ≤ 1 W Standby
Housing:	Plastic (PC + ABS)
Color:	Silver + Black
"Index of Protection":	IP66 - after additional sealing the housing connection with the mounting surface, e.g. with silicone
Operation temp:	-30 °C ... 60 °C
Weight:	0.14 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	46 x 131 x 34 mm
INDOOR PANEL:	
Shield:	7 " TFT-LCD color matrix
Resolution:	1024 x 600
Main features:	<ul style="list-style-type: none"> • Touch control keys, • Operation status LED indicator - green LED - power indicator, • The maximum number of gate stations in the system : 2, • The maximum number of indoor panels in the system : 3, • Selecting the ringer melody, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • Preview image from the door station with the possibility of turning on the sound and opening the gate, • Support for capturing a photo during video calls, • 4-wire cable installation, • Communication : compatible with DAHUA analog video door-phone system • Surface mount, • In the kit : Bracket
Power supply:	12 V DC / 1 A - Monitor 12 V DC / 2 A (power adapter included)
Power consumption:	≤ 5 W Operation ≤ 2 W Standby
Housing:	Plastic (PC + ABS)
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	0.25 kg
Dimensions:	183 x 134 x 18 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



DOOR STATION:


Mounting side view:




Connectors:



Connectors description:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------