

Code: XVR-108G2

# AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **XVR-108G2** 8 CHANNELS UNIARCH

Net: **743.35 DKK** Gross: **743.35 DKK**

The XVR-108G2 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



## SPECIFICATION

|                                  |                                                                                                                                                                                                                                                                          |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                        | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP                                                                                                                                                                                                                                        |
| Video inputs:                    | 8 pcs BNC                                                                                                                                                                                                                                                                |
| Video outputs:                   | 1 pcs HDMI<br>1 pcs VGA                                                                                                                                                                                                                                                  |
| Audio inputs:                    | • 1 pcs CINCH,<br>• 8 - Audio support via coaxial cable                                                                                                                                                                                                                  |
| Audio outputs:                   | 1 pcs CINCH                                                                                                                                                                                                                                                              |
| Image compression method:        | H.265 / H.264                                                                                                                                                                                                                                                            |
| Image records resolutions:       | • AHD / HD-TVI :<br>5M-N - 1296 x 1944 - For cameras 12 fps ,<br><br>• AHD / HD-CVI / HD-TVI :<br>4M-N - 1280 x 1440 - For cameras 15 fps ,<br>1080N - 960 x 1080 ,<br>720p - 1280 x 720<br><br>• CVBS :<br>960H - 960 x 576 ,<br><br>• IP :<br>max. 4 Mpx - 2560 x 1440 |
| Recording speed adjustment:      | 4 Mpx IP @ 1 ... 25 fps ,<br>5M-N @ 1 ... 6 fps ,<br>4M-N @ 1 ... 8 fps ,<br>1080N @ 1 ... 15 fps ,<br>720p @ 1 ... 15 fps ,<br>960H @ 1 ... 15 fps<br>for each channel                                                                                                  |
| Operation modes:                 | 4 x AHD / HD-CVI / HD-TVI / CVBS + 4 x AHD / HD-CVI / HD-TVI / CVBS / IP + 4 x IP                                                                                                                                                                                        |
| Recording modes:                 | Manual, Motion Detection, Schedule                                                                                                                                                                                                                                       |
| Supported hard drives:           | 1 x 6 TB SATA                                                                                                                                                                                                                                                            |
| External storage devices backup: | Save single frames and whole records from DVR drive to the USB drive                                                                                                                                                                                                     |

|                                     |                                                                                                                                                                                        |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Searching and playback the records: | Records searching: by time + timeline with record type. Playback: forward, fast, slow, step<br>Advanced searching (to the one second accuracy)<br>Synchronous playback of all channels |
| Network functions:                  | Full support via network, Remote records copying, Web Server built-in<br>max. 128 on-line users                                                                                        |
| USB:                                | 2 x USB 2.0                                                                                                                                                                            |
| Mobile phones support:              | Port no.: 80 or access by a cloud (P2P)<br>• Android: Free application <a href="#">Uniarch</a><br>• iOS (iPhone): Free application <a href="#">Uniarch</a>                             |
| Alarm inputs / outputs:             | —                                                                                                                                                                                      |
| PTZ control:                        | PTZ Uniarch cameras                                                                                                                                                                    |
| Motion Detection:                   | ✓                                                                                                                                                                                      |
| Mouse support:                      | ✓                                                                                                                                                                                      |
| IR remote controller in the set:    | —                                                                                                                                                                                      |
| Power supply:                       | 12 V DC / 2 A (power adapter included)                                                                                                                                                 |
| Power consumption:                  | ≤ 8 W (without HDD)                                                                                                                                                                    |
| Color:                              | Black                                                                                                                                                                                  |
| Weight:                             | 0.86 kg                                                                                                                                                                                |
| Dimensions:                         | 255 x 260 x 46 mm                                                                                                                                                                      |
| Supported languages:                | English, Czech, French, Spanish, Dutch, German, Polish, Portuguese, Slovak, Italian                                                                                                    |
| Country of origin:                  | China                                                                                                                                                                                  |
| Manufacturer / Brand:               | UNIVIEW / UNIARCH                                                                                                                                                                      |
| Guarantee:                          | <b>3 years</b>                                                                                                                                                                         |

## PRESENTATION

Front panel:



Rear view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|