

Code: BCS-XVR3204

AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **BCS-XVR3204** 32 CHANNELS BCS

Net: **740.12 EUR** Gross: **740.12 EUR**

The BCS-XVR3204 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems. The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



SPECIFICATION

| | |
|-------------------------------------|--|
| Standard: | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP |
| Video inputs: | 32 pcs BNC |
| Video outputs: | <ul style="list-style-type: none">• 2 pcs HDMI• 1 pcs VGA• 1 pcs CVBS |
| Audio inputs: | <ul style="list-style-type: none">• 4 pcs BNC,• 1 pcs BNC - External microphone input |
| Audio outputs: | <ul style="list-style-type: none">• 1 pcs BNC - Audio• 1 pcs BNC - Microphone |
| Image compression method: | H.264 / H.264+ |
| Number of compression levels: | 6 |
| Image records resolutions: | <ul style="list-style-type: none">• AHD / HD-CVI / HD-TVI : 1080p - 1920 x 1080• CVBS : 960H - 960 x 576• IP : 5 Mpx - 2592 x 1944 |
| Recording speed adjustment: | 5 Mpx IP @ 1 ... 25 fps 1080p @ 1 ... 15 fps 720p @ 1 ... 15 fps 1080N @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel |
| Operation modes: | 32 x AHD / HD-CVI / HD-TVI / CVBS / IP |
| Recording modes: | Manual, Motion Detection, Schedule |
| Supported hard drives: | 4 x 8 TB SATA + Port eSATA |
| External storage devices backup: | Save single frames and whole records from DVR drive to the USB drive |
| Searching and playback the records: | Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) |
| Network functions: | Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters |
| USB: | <ul style="list-style-type: none">• 1 pcs USB 2.0• 2 pcs USB 3.0 |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|----------------------------------|---|
| Mobile phones support: | Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS |
| Alarm inputs / outputs: | 16 / 6 |
| PTZ control: | IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P |
| Motion Detection: | Split the screen into zones : 22 x 18 motion zones |
| Main features: | Intelligent image analysis : crossing the line (tripwire), intrusion, abandoned/missing object, face detection |
| Mouse support: | ✓ |
| IR remote controller in the set: | ✓ |
| Power supply: | 230 V AC |
| Color: | Black |
| Weight: | 4.98 kg |
| Dimensions: | 440 x 417 x 76 mm |
| Supported languages: | English, Polish |
| Country of origin: | China |
| Manufacturer / Brand: | BCS |
| Guarantee: | 2 years |

PRESENTATION

Front panel:



Rear view:



In the kit:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60