

Code: JA-150TP

WIRELESS THERMOSTAT **JA-150TP** JABLOTRON

Price visible after login

The JA-150TP thermostat is used to adjust the room temperature. The device operates with JABLOTRON control panels of series: 100, and also with "My Jablotron" service. The device is addressable, and occupies one address in alarm system.
ATTENTION! The JA-150TP is not an autonomous device.



SPECIFICATION

Application:	Alarm systems based on JABLOTRON control panels of series 100
Frequency band:	868.1 MHz
Radio communication range (at open area):	to 300 m
Temperature set range:	-10 °C ... 40 °C
Hysteresis:	0 °C ... 5 °C
Main features:	• JABLOTRON 100 alarm control panels full support • 4 definable temperature levels • Switching the temperature levels according to a weekly schedule • The possibility of switching the heating plan to "economic" after arming the alarm control panel • Adjustable hysteresis • Correction of device indications : -12.8 °C ... 12.7 °C • Possibility to switch off if only a minimum temperature should be maintained in the building • Heating suppression if a window is open • Report in the case of overheating or freezing • Temperature history graph • Cooperation with the "My Jablotron" service
Operation temp:	-10 °C ... 70 °C
Power supply:	2 x 1.5 V LR6 (AA) Alkaline batteries (not included)
Backup time:	~ 2 years
"Index of Protection":	IP20
Assembly:	1.5 m over the floor (wall-mounted)
Weight:	0.060 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	90 x 66 x 22 mm
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years

PRESENTATION


Front view:




Mounting side view:



Internal view:



In the kit:



OUR OPINIONS



- Small dimensions of the device.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------