

Code: DH-HAC-HDW2220EP

## HD-CVI CAMERA **DH-HAC-HDW2220EP** - 1080p 3.6 mm DAHUA

Net: **68.39 EUR** Gross: **68.39 EUR**



Megapixel camera with 1/2.8" CMOS sensor and HD-CVI (High Definition Composite Video Interface).

The HD-CVI interface allows to transmission of analog, composite video signal via coaxial cable. Via single coaxial cable can be transmitted three signals: video, audio and control. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image. Camera is according to IP66 Index of Protection norm.

### SPECIFICATION

Standard:	HD-CVI
Sensor:	1/2.8 " CMOS
Matrix size:	2.4 Mpx
Resolution:	1920 x 1080 - 1080p 1280 x 720 - 720p
Range of IR illumination:	50 m
IR illuminator power adjustment:	Automatic
Lens:	3.6 mm
View angle:	<ul style="list-style-type: none"><li>• 88 ° (manufacturer data)</li><li>• 83 ° (our tests result)</li></ul>
IR illuminator support:	ICR - Movable InfraRed filter
S/N ratio:	> 50 dB
Video output:	HD-CVI, 1 Vpp / 75 Ω
Main features:	<ul style="list-style-type: none"><li>• ICR - Movable InfraRed filter</li><li>• 3D-DNR - Digital Noise Reduction</li><li>• BLC - configurable Back Light Compensation</li><li>• Mirror - Mirror image</li><li>• Auto White Balance</li><li>• Resolution : 720p / 1080p</li></ul>
OSD menu:	✓, OSD menu available via recorder
"Index of Protection":	IP67
Power supply:	12 V DC / 390 mA
Housing:	Dome, Metal / Plastic

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Vandal-proof:	—
Color:	White
Operation temp:	-30 °C ... 60 °C
Weight:	0.310 kg
Dimensions:	Ø 110 x 95 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

## PRESENTATION


Camera is out from clamping ring:



Mounting side view:



In the kit:



**OUR TESTS**

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60