

Code: AQUA-RING

CEILING PIR DETECTOR **AQUA-RING** SATEL

Net: **21.53 EUR** Gross: **21.53 EUR**

Digital Passive Infra Red detector to ceiling mount.




SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	from a height 2.4 m area 36 m ² from a height 3.7 m area 80 m ²
Sensitivity adjustment:	By jumpers
Recommended installation height:	2.2 m ... 4.5 m
Autodiagnostics:	Basic
Prealarm feature:	✓
Pet immunity:	—
Alarm time:	2 s
Digital temperature compensation:	✓
Power supply:	12 V DC / 9.5 mA
Operation temp:	-10 °C ... 50 °C
Target speed range:	to 3 m/s
Dimensions:	Ø 97 x 29 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

Internal view of the housing:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60