

Code: MSF-2X12/PT/W/EPN

FLUSH-MOUNTING DISTRIBUTION CABINET 24-MODULAR

MSF-2X12/PT/W/EPN Elektro-Plast

Net: 50.88 EUR Gross: 50.88 EUR


2-row 24-modular flush-mounting distribution electric cabinet.



SPECIFICATION

Method of mounting:	Flush-mounted
Number of mounted modules:	12 + 2 x 2 rows, 17.5 mm
Spacing between TH 35 rails:	125 mm
Transparent door:	—
Main features:	• Metal doors • The door can be equipped with a lock • Removable top and bottom panel • Possibility of installation in both hollow walls (plasterboard) and brick walls
Equipment:	Terminal blocks : • 1 pcs N : 17 x 16 mm² • 1 pcs PE : 17 x 16 mm²
Material:	Plastic + Steel
Color:	White
"Index of Protection":	IP30
IK rating:	IK05
Compliance with standards:	PN-EN 62208:2011, PN-EN 60670-24:2013
Weight:	3.16 kg
Dimensions:	478 x 358 x 94 mm , 450 x 330 x 91 mm - flush-mounting box

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

