

Code: PR621

ACCESS CONTROLLER **PR621** ROGER

Net: **107.66 EUR** Gross: **107.66 EUR**

Outdoor proximity cards and key-fobs reader with controller built-in. Unique 125 kHz standard.
The PR621 controller can operate autonomously or in the network mode.



SPECIFICATION

Relay contacts load:	1.5 A / 30 V
Battery backup support:	—
Keyboard built-in:	—
Input lines:	3
Output lines:	3
Communication:	• RS-485 • RACS (Roger)
Power supply:	10 ... 15 V DC
Main features:	• Unique EM 125kHz proximity reader built-in • PRT series readers support • 1000 indexed users • History of 250 000 events • 99 General Purpose Schedules • 250 access groups • Tamper detection - removing from mounting surface • Function to prevent of multiple use of the same code/card to gain access (anti-passback)
Environment class:	IV
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)
Weight:	0.15 kg
Dimensions:	85 x 85 x 27 mm

Manufacturer / Brand:	ROGER
Guarantee:	3 years

PRESENTATION

Front panel:




Internal view of the housing:



Mounting side view:



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------