

Code: IPC-C46

## IP CAMERA **IPC-C46** Wi-Fi - 4.0 Mpx 2.3 mm DAHUA

Net: **65.59 EUR** Gross: **65.59 EUR**

The cameras of the Dahua Consumer series have been designed with special care to simplify the configuration and operation. In combination with the user friendly imou platform, the Dahua Consumer series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m.

The device is ideal for eg. as a baby monitor, with mobile image view on smartphone and possibility of bi-directional audio transmission.

**Attention!** The Dahua Consumer cameras are dedicated to management only via the imou application (previous name Lechange). The IMOU series devices do not have a WEB interface. The Consumer series records the data only after motion detection (no continuous recording) - recording approx. 1 - 1.5 minutes depending on the duration of the movement in front of the camera.

In order to obtain optimal performance of DAHUA Consumer series cameras, it is recommended to use DAHUA Micro SD memory cards.



### SPECIFICATION

|                           |                                                                                                                                                                                        |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                 | TCP/IP                                                                                                                                                                                 |
| Sensor:                   | 1/3 " Progressive Scan CMOS                                                                                                                                                            |
| Matrix size:              | 4.0 Mpx                                                                                                                                                                                |
| Resolution:               | 2688 x 1520 - 4.0 Mpx                                                                                                                                                                  |
| Lens:                     | 2.3 mm                                                                                                                                                                                 |
| View angle:               | 130 °                                                                                                                                                                                  |
| Range of IR illumination: | 10 m                                                                                                                                                                                   |
| Audio:                    | <ul style="list-style-type: none"><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Bi-directional audio streaming support</li></ul>                                   |
| RS-485 interface:         | —                                                                                                                                                                                      |
| Image compression method: | H.265                                                                                                                                                                                  |
| Main stream frame rate:   | 20 fps @ 4.0 Mpx                                                                                                                                                                       |
| Network protocols:        | TCP, DHCP                                                                                                                                                                              |
| ONVIF:                    | —                                                                                                                                                                                      |
| Network interface:        | Wi-Fi - IEEE 802.11 b/g/n                                                                                                                                                              |
| Mobile phones support:    | Access by a cloud (P2P) <ul style="list-style-type: none"><li>• Android: Free application <a href="#">IMOU</a></li><li>• iOS (iPhone): Free application <a href="#">IMOU</a></li></ul> |
| WEB Server:               | —                                                                                                                                                                                      |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                |                                                                                                                                            |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Default admin user / password: | admin / admin                                                                                                                              |
| Default IP address:            | DHCP                                                                                                                                       |
| Web browser access ports:      | —                                                                                                                                          |
| PC client access ports:        | —                                                                                                                                          |
| Mobile client access ports:    | —                                                                                                                                          |
| Port ONVIF:                    | —                                                                                                                                          |
| RTSP URL:                      | —                                                                                                                                          |
| Memory card slot:              | Micro SD memory cards up to 128GB support (possible local recording)                                                                       |
| Main features:                 | <ul style="list-style-type: none"> <li>• Wi-Fi module - IEEE 802.11 b/g/n, Range : 50 m (open area)</li> <li>• Motion Detection</li> </ul> |
| Power supply:                  | 5 V DC / 1 A - micro USB socket (power adapter included)                                                                                   |
| Power consumption:             | < 5 W                                                                                                                                      |
| Weight:                        | 0.16 kg                                                                                                                                    |
| Dimensions:                    | 76 x 107 x 64 mm (with stand)                                                                                                              |
| Supported languages:           | —                                                                                                                                          |
| Manufacturer / Brand:          | DAHUA                                                                                                                                      |
| Guarantee:                     | <b>3 years</b>                                                                                                                             |

## PRESENTATION

Bottom view:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:



Rear view:





From the bottom camera is equipped with non-slip rubber with built-in magnet:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|