

Code: VTO2000A-C-2

VIDEO DOORPHONE **VTO2000A-C-2** DAHUA

Net: **277.82 EUR** Gross: **277.82 EUR**

The VTO2000A-C-2 module is designed for work in multi-family systems - it supports only VTH5222CH monitors and VTNS1006A-2 switches.
The VTO2000A-C-2 is designed to cooperation with video doorphones and panels working in DAHUA 2-Wire standard.



SPECIFICATION

Sensor:	1.2.7 Mpx CMOS
Image compression method:	H.264
LED illuminator:	✓
Compatibility:	DAHUA 2-wire
Main features:	• Doorbell button, • Bidirectional communication, • Microphone built-in, • Speaker built-in, • Camera position adjustment in all planes, • Tamper detection - removing from mounting surface
Operation temp:	-40 °C ... 60 °C
Power supply:	Supplied by VTNS1006A-2
Housing:	Metal, IP54 IK07
Color:	Silver
Weight:	0.3 kg
Dimensions:	110 x 120 x 24.9 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:




Side view:




Rear view:



Connectors view:



Connection schematic diagram:



- 1. 1-pair cable
 - 2. Ethernet
 - 3. INDOOR PANEL
 - 4. Video doorphone
- In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------