

Code: DHI-VTH5221DW

INDOOR PANEL IP **DHI-VTH5221DW** Wi-Fi / IP DAHUA

Net: **243.21 EUR** Gross: **243.21 EUR**



The DHI-VTH5221DW panel has been designed to create a simple and effective system of local communication. The device works with video doorphones, and other DAHUA panels. It can be also used as simple alarm control panel, or notification module by the support 6 alarm inputs. ATTENTION! The device does not support the Dahua analogue system.

SPECIFICATION

Compatibility:	Interphone installation - DAHUA IP Protocol
Shield:	7 " capacitive touch screen
Resolution:	1024 x 600
Internal memory:	—
Memory card slot:	Micro SD memory cards up to 32GB support (possible local recording), 4 GB included
Main features:	<ul style="list-style-type: none">• Wi-Fi Module,• Microphone built-in,• Speakers built-in,• Bidirectional communication,• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,• Automatically capture and save images if there is no response to the doorbell,• Records a short video message if there is no response to the doorbell button,• IP Dahua cameras support,• RS-485 interface,• The ability of direct communication between two or more panels ,
Controlling:	One-touch action buttons + capacitive touch screen
Alarm inputs:	6
Alarm outputs:	1
Power supply:	<ul style="list-style-type: none">• 12 V DC / 580 mA,• PoE (802.3af)
Power consumption:	<ul style="list-style-type: none">≤ 7 W (operation)≤ 1 W (standby)
Operation temp:	-10 °C ... 60 °C
Color:	White

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Weight:	0.4 kg
Dimensions:	215 x 140 x 21 mm
Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:




Rear view:



Connectors view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------