

Code: VT03211D-P4-S1

## VIDEO DOORPHONE **VT03211D-P4-S1** DAHUA

Net: **307.26 EUR** Gross: **307.26 EUR**



The device works with video doorphones, and other DAHUA panels. Video Doorphone is mounted in a surface housing.

ATTENTION! The device does not support the Dahua analogue system.

### SPECIFICATION

Compatibility:	DAHUA
Sensor:	1/2.8 ", 2 Mpx CMOS
View angle:	134 °
Image compression method:	H.264
IR illuminator:	✓
proximity reader built-in:	Access control cards - 13.56 MHz S50
The number of subscribers served:	4
UTP category:	UTP cat. 5e
Main features:	<ul style="list-style-type: none"><li>• It can only work with the mobile application, without the VTH monitor</li><li>• The function of the monitor with the ability to open the door can be a smartphone, tablet or the VTH indoor panel</li><li>• Bidirectional communication,</li><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Tamper detection - opening the enclosure,</li><li>• Vandal-proof front panel,</li><li>• Output for the additional lock release button</li></ul>
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none"><li>• Android: Free application <a href="#">DMSS</a></li><li>• iOS (iPhone): Free application <a href="#">DMSS</a></li></ul>
Power supply:	<ul style="list-style-type: none"><li>• PoE (802.3af),</li><li>• 12 V DC / 500 mA</li></ul>
Power consumption:	≤ 6 W

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Housing:	Zinc alloy, Waterproof
Color:	Graphite
"Index of Protection":	IP65 - after additional sealing the housing connection with the mounting surface, e.g. with silicone
Mechanical strength:	IK08
Operation temp:	-30 °C ... 60 °C
Weight:	0.46 kg
Dimensions:	182 x 101 x 31 mm
Supported languages:	Polish, English, Bulgarian, Czech, Finnish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

## PRESENTATION

Front view:



Side view:




Rear view:



Connectors view:




View after open the front cover:



Dimensions:




Connection schematic diagram:



1. Power supply
  2. Exit button
  3. Reed switch
  4. Door lock (strike)
  5. Indoor Panel
  6. Motion detector
  7. Apartment No. 1
  8. Apartment No. 2
  9. Apartment No. 3
  10. Apartment No. 4
- In the kit:





**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

