

Code: DS-KH6320-WTE1-W

## INDOOR PANEL Wi-Fi / IP **DS-KH6320-WTE1-W** Hikvision

Net: **256.45 EUR** Gross: **256.45 EUR**

The DS-KH6320-WTE1-W panel has been designed to create a simple and effective system of local communication.

A device dedicated to work with modular video doorphones Hikvision IP. It can be also used as simple alarm control panel, or notification module by the support 8 alarm inputs.

The device is dedicated to work with Hikvision IP video doorphones. In addition, the device has the ability to work with the **Hik-Connect** application on mobile devices.



### SPECIFICATION

|                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Compatibility:                          | Hikvision IP Video Doorphones                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Shield:                                 | 7 " - capacitive touch screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Resolution:                             | 1024 x 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Internal memory:                        | 128 MB (built-in)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Main features:                          | <ul style="list-style-type: none"><li>• Wi-Fi module - IEEE 802.11 b/g/n,</li><li>• Microphone built-in,</li><li>• Speakers built-in,</li><li>• Bidirectional communication,</li><li>• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,</li><li>• Automatically capture and save photos if there is no response to the bell button,</li><li>• IP Hikvision cameras support,</li><li>• The ability of direct communication between two or more panels,</li><li>• Register a short voice message if there is no response to the bell button</li><li>• Support for capturing a photo during video calls</li><li>• The microSD cards support max. 32 GB (not included)</li><li>• The device is fully configurable via the <b>iVMS4200</b> software.</li><li>• In addition, the device has the ability to work with the <b>Hik-Connect</b> application on mobile devices</li></ul> |
| Controlling:                            | capacitive touch screen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Default administrator password:         | —<br>The administrator password should be set at the first start                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Default password for securing the zone: | —                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Alarm inputs:                           | 8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Alarm outputs:                          | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                       |                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Power supply:         | <ul style="list-style-type: none"> <li>• 12 V DC,</li> <li>• IEEE 802.3af</li> </ul>                                                  |
| Power consumption:    | ≤ 6 W                                                                                                                                 |
| Color:                | White                                                                                                                                 |
| Operation temp:       | -10 °C ... 55 °C                                                                                                                      |
| Weight:               | 0.34 kg                                                                                                                               |
| Dimensions:           | 200 x 140 x 25 mm                                                                                                                     |
| Supported languages:  | Polish, English, Bulgarian, Croatian, Czech, French, Greek, Spanish, Dutch, German, Portuguese, Romanian, Serbian, Hungarian, Italian |
| Manufacturer / Brand: | Hikvision                                                                                                                             |
| SAP Code:             | 305301796                                                                                                                             |
| Guarantee:            | <b>3 years</b>                                                                                                                        |

## PRESENTATION

Front view:



Rear view:





Device connectors:






Memory card slot:




Example of application:



1. Alarm sensors
2. INDOOR PANEL
3. Switch PoE
4. Guard station
5. Main unit powered by PoE switch
6. IP cameras

## 7. Expansion modules

In the kit:



### PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60