

Code: ATE-CAM-CVBS735

## PAL MOBILE CAMERA **ATE-CAM-CVBS735** - 960H 2.8 mm AUTONE

Net: **34.32 EUR** Gross: **34.32 EUR**

The ATE-CAM-CVBS735 camera is designed for installation outside vehicles.

Camera is according to IP67 Index of Protection norm.

**Attention!** The camera is **not compatible** with AUTONE recorders working in the **AHD** standard.



### SPECIFICATION

Standard:	CVBS - PAL
Sensor:	1/3 " CMOS
Matrix size:	1 Mpx
Resolution:	960 x 576 - 960H
Lens:	2.8 mm
View angle:	91 °
Range of IR illumination:	10 m
S/N ratio:	> 50 dB
Video output:	1 Vpp / 75 Ω - M12, 4-pin socket, Code A
Audio:	—
Main features:	<ul style="list-style-type: none"><li>• AGC - Automatic Gain Control</li><li>• BLC - Back Light Compensation</li><li>• ICR filter - IR illuminators support</li><li>• Auto White Balance</li><li>• Sharpness - sharper image outlines</li></ul>
OSD menu:	—
Housing:	Dome, Metal
Color:	Black
Application:	The camera is designed for installation outside vehicles
Power supply:	12 V DC / 420 mA - Powering the cameras with 12V DC voltage directly from recorder

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60


Power consumption:	< 5 W
Operation temp:	-20 °C ... 60 °C
Weight:	0.27 kg
Dimensions:	90 x 77 x 62 mm
Manufacturer / Brand:	AUTONE
Guarantee:	2 years

## PRESENTATION

Front view:




Side view:



The camera has a removable cover:



Camera mounting dimensions:



In the kit:



## OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



## OUR OPINIONS



- Solid workmanship.

## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------