

Code: RG-EG105G-P-V2

ROUTER **RG-EG105G-P-V2**, 4 PoE REYEE

Net: **164.74 EUR** Gross: **164.74 EUR**

The RG-EG105G-P-V2 Gigabit VPN Router supports many VPN protocols, providing high performance and high security. Operation integrated with the Ruijie Cloud platform enables central management from the cloud and Ruijie Reyee application.

2 Gigabit Ethernet WAN ports with bandwidth load balance raise the utilization rate of multi-line broadband.



SPECIFICATION

Standards:	IEEE 802.3, IEEE 802.3u, IEEE 802.3x, 802.3z, IEEE 802.3af, IEEE 802.3at
LAN ports:	• 3 x LAN & PoE 10/100/1000 Mbps (RJ-45) • 1 x LAN & PoE / WAN 10/100/1000 Mbps (RJ-45)
WAN interface:	• 1 x WAN x 10/100/1000 Mbps (RJ-45)
LED indicators:	Status, Link/Act
DDNS:	✓
DHCP server:	✓
Port USB:	—
Firmware update:	✓
Power supply PoE:	Power output - LAN ports : PoE (802.3af/at) max. 54 W (total)
Protections:	• ACL • IP-MAC Binding • MAC addresses filtering • Support for dynamic ARP mapping and static table • NAT / NAPT • Port Mapping
Management interface:	• Ruijie Cloud Central Management System • Configuration using the Ruijie Reyee application • Remote management • Web browser
Mobile phones support:	Android: Free application Ruijie Reyee iOS (iPhone): Free application Ruijie Reyee
Main features:	• VPN networks: IPsec VPN, Open VPN, L2TP VPN, PPTP VPN, etc. • Static / dynamic routing • WAN : PPPoE, PPTP, L2TP • DHCP client/server support • Access Control List - ACL package filtering based on source and destination IP addresses • Rate limit • Load balance • NAT • View topology and network status • RESET button
Power supply:	54 V DC / 1.15 A (power adapter included)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power consumption:	max. 60 W (at full load)
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.43 kg
Dimensions:	207 x 109 x 28 mm
Manufacturer / Brand:	RUIJIE / REYEE
Guarantee:	2 years

PRESENTATION

Front panel:



Rear panel:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------