

Code: RG-RAP2266

ACCESS POINT **RG-RAP2266** Wi-Fi 6 2.4 GHz 5 GHz 574 Mbps + 2402 Mbps REYEE

Net: **195.35 EUR** Gross: **195.35 EUR**

The RG-RAP2266 access point broadcasts 2 separate wireless networks in the 5 GHz band with speed 2402 Mb/s and in the 2.4 GHz band with speed 574 Mb/s. The Reyee RG-RAP2266 is a device working in 2x2 MIMO (Multiple Input Multiple Output) standard.

The device is easy to use and manage.



SPECIFICATION

Frequency range:	2.4 GHz (2.400 ... 2.4835 GHz) 5 GHz (5.150 ... 5.850 GHz)
Antenna type:	2x2 MU-MIMO, 2.4 GHz - 3.53 dBi / 5.0 GHz - 5.15 dBi, Integrated - 5 x Omnidirectional antenna
Standards:	IEEE 802.11 a/b/g/n/ac/ax
Baud rates:	574 Mbps + 2402 Mbps
Wireless transmission range:	40 m - 2.4 GHz 70 m - 5 GHz
Default IP address:	10.44.77.253
Protections:	WPA-PSK WPA2-PSK WPA/WPA2-PSK
LAN ports:	1 x 10/100/1000 Mbps
Mobile phones support:	Android: Free application Ruijie Reyee iOS (iPhone): Free application Ruijie Reyee
Transmitter power:	≤ 31 dBm @ 2.4 GHz (max) ≤ 32.7 dBm @ 5 GHz (max)
Power supply PoE:	PoE (802.3at)
Power supply:	12 V / 2 A (power adapter not included)
Power consumption:	≤ 18 W

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Main features:	• Possibility to mount on the wall or ceiling • Support for Reyee Mesh technology • Number of users : 512 (max) • OFDMA • Beamforming (TxBF) - technology that allows to create a beam of radio waves in order to improve the quality of connection with client devices located further away from the signal source • WMM (Wi-Fi Multimedia) • Load balance • AP placement and RF maps • Easy and uniform management system for many devices • Intuitive installation and configuration of many advanced functions
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	5 % ... 95 %
Weight:	0.5 kg
Dimensions:	Ø 220 x 52.6 mm
Manufacturer / Brand:	RUIJIE / REYEE
Guarantee:	3 years

PRESENTATION



Mounting side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:



In the kit:



OUR OPINIONS



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- Modern and ergonomic design.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

