

Code: S11-1

VIDEO DOORPHONE **S11-1** VIDOS

Net: **36 792.45 HUF** Gross: **36 792.45 HUF**

Video Doorphone is mounted in a surface-mounted housing. The VIDOS X series of analog video doorphones stands for the premium class and the use of the latest and technologies most desired by users.

The S11-1 is designed to cooperation with video doorphones and panels working in analog VIDOS X system.



SPECIFICATION

Compatibility:	VIDOS X Analog Video Doorphones
Sensor:	CMOS 2.1 Mpx, 1080p
View angle:	130 °
IR illuminator:	✓
LED illuminator:	—
proximity reader built-in:	Standard - Unique EM 125kHz
Fingerprint reader built-in:	—
Built-in keypad:	—
The number of subscribers served:	1
Video output:	compatible with VIDOS X analog video door-phone system
Main features:	• ICR - Movable InfraRed filter • Vandal-proof front panel • Memory of 40 RFID tags • The kit includes a MASTER keyfob that allows you to add user cards yourself + 4 user keyfobs • Built-in information signboard module with backlight • Volume adjustment • Operation mode : AHD / PAL - selectable by switch • Electric strikes and electromagnetic locks support • Electric lock supply: 12V DC / max. 300mA
Power supply:	From internal panel : 12 ... 14.5 V DC
Housing:	Aluminum alloy - Vandal-proof, Waterproof

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	Graphite
"Index of Protection":	IP54
Operation temp:	-30 °C ... 50 °C
Weight:	0.39 kg
Dimensions:	91 x 177 x 30 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years


PRESENTATION

Front panel:



Internal view of the housing:





Rear view:



Connectors description:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------