

Code: DL650E-FR/UPS

UPS **DL650E-FR/UPS** 650 VA CyberPower

Net: **82.17 EUR** Gross: **82.17 EUR**

The DL650E-FR/UPS UPS is a professional device used to maintain the operation of the components connected to it.



SPECIFICATION

Nominal power:	360 W
Apparent Power:	650 VA
Input voltage:	230 V AC
Input frequency:	47 ... 63 Hz (auto detection)
Output voltage:	230 V AC \pm 7 % (Approximated Sine Wave)
Output frequency:	50 / 60 Hz \pm 1 %
Typical battery charge time:	8 hours
Battery:	1 x 12V/4.5Ah
Estimated battery operation time:	<ul style="list-style-type: none">• 10 minutes - 50% load• 3 minutes - 100% load
Number of outputs:	3 pcs
Management software:	PowerPanel Personal Edition
Protections:	<ul style="list-style-type: none">• Overvoltage• Overload protection
Operation state indication:	<ul style="list-style-type: none">• LCD display: operation mode, battery charging level, in/out voltage level• Sound signaling
Main features:	<ul style="list-style-type: none">• Replaceable batteries• Auto restart and charging• USB interface

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Application:	<ul style="list-style-type: none"> • Surveillance Systems • data storage centers • network, servers, workstations • Industrial Equipment
Housing type:	Tower
Operation temp. / Relative humidity:	0 °C ... 40 °C / 0 ... 90 %
Weight:	2.76 kg
Dimensions:	230 x 188 x 91 mm
Manufacturer / Brand:	CyberPower
Guarantee:	2 years

PRESENTATION

Top view:



Rear view:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------