

Code: OPM-XK30A

OPTICAL POWER METER **OPM-XK30A**

Net: **24.91 EUR** Gross: **24.91 EUR**



SPECIFICATION

Sensor type:	InGaAs
Optical wavelength:	850 nm / 980 nm / 1300 nm / 1310 nm / 1490 nm / 1550 nm / 1625 nm / 1650 nm
Power measurement range:	10 ... -70 dBm
Accuracy:	± 5 %
Measuring accuracy:	0.01 dBm
Connector type:	ST
Main features:	<ul style="list-style-type: none">• High measurement accuracy• Fast tracking display and real-time measurement of optical power when changing output power• Wide measuring range• Absolute measurement of optical power and measurement of relative power• Low battery indicator• Automatic power-off• Large, readable LCD display with backlight• High durability tool, made from high quality materials
Power supply:	3 x 1.5 V - Battery type LR6 (AA) - In the kit
Backup time:	> 120 h
Weight:	0,25 kg - Without batteries
Dimensions:	185 x 100 x 46 mm
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front panel:



The device has a universal connector 2.5mm with ST adapter:



Rear view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------