

Code: NVR1108HS-W-S2

## NVR **NVR1108HS-W-S2** Wi-Fi, 8 CHANNELS IMOU

Net: **78.39 EUR** Gross: **78.39 EUR**

Network Video Recorder allowing to operate with Wi-Fi IMOU cameras supported 802.11 b/g/n standards.



### SPECIFICATION

|                                     |                                                                                                                                                                                                                                              |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                           | TCP/IP                                                                                                                                                                                                                                       |
| Supported resolutions:              | max. 1080p - 1920 x 1080 px                                                                                                                                                                                                                  |
| Video outputs:                      | 1 pcs HDMI<br>1 pcs VGA                                                                                                                                                                                                                      |
| Audio support:                      | 8 Channels - Audio from cameras                                                                                                                                                                                                              |
| Audio inputs:                       | 1 pcs CINCH                                                                                                                                                                                                                                  |
| Audio outputs:                      | 1 pcs CINCH                                                                                                                                                                                                                                  |
| Image compression method:           | Smart H.265+ / H.265 / Smart H.264+ / H.264                                                                                                                                                                                                  |
| Bitrate:                            | max. 40 Mbps<br>max. 16 Mbps Wi-Fi                                                                                                                                                                                                           |
| Supported hard drives:              | 1 x 8 TB SATA                                                                                                                                                                                                                                |
| Recording modes:                    | Manual, Motion Detection, Schedule                                                                                                                                                                                                           |
| External storage devices backup:    | Backup to USB drive (pendrive, external drive)                                                                                                                                                                                               |
| Searching and playback the records: | Records searching: by time and events type. Records playback: forward, backward, fast, slow<br>Advanced searching (to the one second accuracy)<br>1/4/8/9 channel synchronous playback                                                       |
| Network interface:                  | <ul style="list-style-type: none"><li>• 1 x RJ-45 10/100 Base-TX</li><li>• 2.4 GHz Wi-Fi - IEEE 802.11 b/g/n</li></ul>                                                                                                                       |
| Network functions:                  | <ul style="list-style-type: none"><li>• Built-in Wi-Fi module - Imou cameras support : Smart, auto-paring, Remote configuration, Remote management</li><li>• Full support via network, Remote records copying, Web Server built-in</li></ul> |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                  |                                                                                                                                                                                                                                                                                      |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Network protocols:               | HTTP, HTTPS, TCP/IP, IPv4, RTSP, UDP, NTP, DHCP, DNS, Alarm Server, P2P                                                                                                                                                                                                              |
| ONVIF:                           | ✓                                                                                                                                                                                                                                                                                    |
| Default IP address:              | 192.168.1.108                                                                                                                                                                                                                                                                        |
| Default admin user / password:   | admin / -<br>The administrator password should be set at the first start                                                                                                                                                                                                             |
| Web browser access ports:        | 80, 37777                                                                                                                                                                                                                                                                            |
| PC client access ports:          | 37777                                                                                                                                                                                                                                                                                |
| Mobile client access ports:      | 37777                                                                                                                                                                                                                                                                                |
| Mobile phones support:           | Port no.: 37777 or access by a cloud (P2P)<br>• Android: Free application <a href="#">IMOU</a><br>• iOS (iPhone): Free application <a href="#">IMOU</a>                                                                                                                              |
| RTSP URL:                        | rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream<br>rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream                                                                                                      |
| USB:                             | 2 pcs USB 2.0                                                                                                                                                                                                                                                                        |
| Serial ports:                    | —                                                                                                                                                                                                                                                                                    |
| Alarm inputs / outputs:          | —                                                                                                                                                                                                                                                                                    |
| PTZ control:                     | —                                                                                                                                                                                                                                                                                    |
| Motion Detection:                | ✓                                                                                                                                                                                                                                                                                    |
| Intelligent image analysis:      | —                                                                                                                                                                                                                                                                                    |
| Main features:                   | <ul style="list-style-type: none"> <li>• Smart, auto-parking &lt; 120 s</li> <li>• Alarm notifications</li> <li>• 2x2 MIMO - MIMO technology - increases the throughput of wireless link (multiple antennas transmission)</li> <li>• Operating range in open area : 100 m</li> </ul> |
| Mouse support:                   | ✓                                                                                                                                                                                                                                                                                    |
| IR remote controller in the set: | —                                                                                                                                                                                                                                                                                    |
| Power supply:                    | 12 V DC / 1.5 A (power adapter included)                                                                                                                                                                                                                                             |
| Power consumption:               | ≤ 10 W (without HDD)                                                                                                                                                                                                                                                                 |
| Operation temp:                  | -10 °C ... 45 °C                                                                                                                                                                                                                                                                     |
| Weight:                          | 0.83 kg                                                                                                                                                                                                                                                                              |
| Dimensions:                      | 260 x 248 x 48 mm                                                                                                                                                                                                                                                                    |
| Supported languages:             | Polish, English                                                                                                                                                                                                                                                                      |
| Manufacturer / Brand:            | IMOU                                                                                                                                                                                                                                                                                 |
| Guarantee:                       | <b>3 years</b>                                                                                                                                                                                                                                                                       |

## PRESENTATION

Front panel:



Rear panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|