

Code: ZSO-01/4000

SET OF LED LUMINAIRES **ZSO-01/4000** ZAMEL

Net: **125.35 AUD** Gross: **125.35 AUD**



Ceiling luminaire set suitable for WiFi control.

It includes 1 pieces of OSW-01 controller, 3 pieces of LSP-35N-24 recessed luminaires and 4 pieces of LSR-BO-X1 frames.

In addition to remote operation, user can also use schedules stored in the cloud for automatic control.

SUPLA is an open and independent project that allows the wireless management of sensors and controllers with which we can build a smart home system.

SPECIFICATION

Number of elements:	8
Support:	SUPLA
Connector type:	screw terminals
Wireless:	Wi-Fi, 2.4 GHz - IEEE 802.11 b/g/n
Mobile phones support:	• The SUPLA free application on Android • The SUPLA free application on iOS
Main features:	• Control from a Web browser, • Local control by physical button, • schedule, • timer, • remote access, • voice control, • Possibility to manually program scenarios from the built-in API
Housing:	Plastic
Guarantee:	2 years
Manufacturer / Brand:	ZAMEL

OSW-01 wireless lighting controller:

Application:	Lighting control
Light color:	Neutral - 4000 K
Illumination angle:	120 °
Seating depth of the luminaire:	38 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Montage hole diameter:	Ø 75 mm ... 80 mm
Number of inputs:	1 pcs
Number of outputs:	1 pcs
Power voltage:	24 V DC
Current consumption:	350 lm / 3.5 W
Connector type:	screw terminals
"Index of Protection":	IP20
Weight:	0.079 kg
Dimensions:	78 x 73 x 40 mm

LSP-35N-24 luminaire:

Number of elements:	3
Light color:	Neutral - 4000 K
Illumination angle:	120 °
Seating depth of the luminaire:	38 mm
Montage hole diameter:	Ø 75 mm ... 80 mm
Number of inputs:	1
Power voltage:	24 V AC
Current consumption:	350 lm / 3.3 W
Connector type:	screw terminals
"Index of Protection":	IP44
Operation temp:	-10 °C ... 55 °C
Weight:	0.068 kg
Dimensions:	78 x 72 x 35 mm

Frame plate:

Number of elements:	3
Material:	Plastic
Weight:	0.019 kg
Dimensions:	Ø 105 x 7 mm


PRESENTATION

OSW-01 wireless lighting controller:





Front view:




Side view:



Cable entries:



Rear view:



LSP-35N-24 luminaire:



Package:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------