

Code: IIYAMA-E2483HSU-B5

## MONITOR VGA, HDMI, DP, AUDIO **IIYAMA-E2483HSU-B5** 24 "

Net: **145.73 EUR** Gross: **145.73 EUR**



### SPECIFICATION

|                             |                                                                                                                                                                                                                                                                                       |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Screen size:                | 24 "                                                                                                                                                                                                                                                                                  |
| Native resolution:          | 1920 x 1080 px                                                                                                                                                                                                                                                                        |
| Aspect ratios:              | 16 : 9                                                                                                                                                                                                                                                                                |
| Matrix type:                | TN LED                                                                                                                                                                                                                                                                                |
| Contrast:                   | 1000 : 1 (typical)<br>80 000 000 : 1 - ACR                                                                                                                                                                                                                                            |
| Brightness:                 | 250 cd/m <sup>2</sup>                                                                                                                                                                                                                                                                 |
| Viewable angles:            | 170 ° horizontal<br>160 ° vertical                                                                                                                                                                                                                                                    |
| Response time:              | 1 ms                                                                                                                                                                                                                                                                                  |
| Number of displayed colors: | 16.7 M                                                                                                                                                                                                                                                                                |
| Refresh frequency:          | 56 Hz ... 75 Hz                                                                                                                                                                                                                                                                       |
| Speakers built-in:          | 2 x 1 W                                                                                                                                                                                                                                                                               |
| Signal connectors:          | <ul style="list-style-type: none"><li>• 1 x VGA,</li><li>• 1 x HDMI,</li><li>• 1 x DisplayPort</li><li>• 1 x Jack 3.5 mm socket - Audio input</li><li>• 1 x Jack 3.5 mm socket - Headphones output</li><li>• 1 x USB 2.0 B + 2 x USB 2.0 A - HUB USB</li><li>• 1 x 230 V AC</li></ul> |
| HDCP:                       | ✓                                                                                                                                                                                                                                                                                     |
| Housing type:               | Plastic                                                                                                                                                                                                                                                                               |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                            |                                                                                                                               |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Power management:          | TCO, CE, TÜV-GS, EAC, VCCI-B, PSE, Energy Star, CU, EPEAT Silver Certificate                                                  |
| DLNA:                      | —                                                                                                                             |
| Monitor mounting standard: | VESA 100                                                                                                                      |
| Robbery protection:        | ✓                                                                                                                             |
| Parameters adjustment:     | OSD - using the button on the casing                                                                                          |
| Power supply:              | 230 V AC                                                                                                                      |
| Power consumption:         | <ul style="list-style-type: none"> <li>• 24 W (typical)</li> <li>• 0.5 W (in standby mode)</li> </ul>                         |
| Weight:                    | 3.39 kg                                                                                                                       |
| Dimensions:                | <ul style="list-style-type: none"> <li>• 565 x 414 x 187 mm (with stand)</li> <li>• 565 x 340 x 50 (without stand)</li> </ul> |
| Manufacturer / Brand:      | Iiyama                                                                                                                        |
| Guarantee:                 | 2 years                                                                                                                       |

## PRESENTATION



OSD menu control keys:



Rear view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Monitor connectors:



Dimensions:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|