

Code: IIYAMA-GB2760HSU-B1

MONITOR HDMI, DP, AUDIO **IIYAMA-GB2760HSU-B1** 27 "

Net: **298.75 EUR** Gross: **298.75 EUR**



SPECIFICATION

Screen size:	27 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TN, LED backlight, Matte matrix
Contrast:	1000 : 1 (typical) 80 000 000 : 1 - ACR
Brightness:	400 cd/m ²
Viewable angles:	170 ° horizontal 160 ° vertical
Response time:	1 ms
Number of displayed colors:	16.7 M
Refresh frequency:	144 Hz
Speakers built-in:	2 x 2 W
Signal connectors:	• 1 x HDMI, • 1 x DisplayPort • 1 x Jack 3.5 mm socket - Headphones output • 1 x USB 2.0 B + 2 x USB 2.0 A - HUB USB • 1 x 230 V AC
HDCP:	✓
Main features:	Built-in USB HUB
Housing type:	Plastic

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power management:	Energy efficiency class G (Regulation (EU) 2017/1369)
DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Power supply:	230 V AC
Power consumption:	• 27.1 W (typical) • 0.37 W (in standby mode)
Weight:	7.3 kg
Dimensions:	• 613.5 x 412 x 230 mm (with stand) • 613.5 x 370.5 x 54 (without stand)
Manufacturer / Brand:	Iiyama
Guarantee:	2 years

PRESENTATION

The monitor stand allows to change the position of the screen from horizontal to vertical:



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:






Monitor connectors:



In the kit:



Dimensions:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------