

Code: DS-D5022FN-C

## MONITOR HDMI, VGA **DS-D5022FN-C** 21.5 " Hikvision

Net: **259.97 EUR** Gross: **259.97 EUR**

Designed to continuous operation 24/7.



### SPECIFICATION

|                             |                                                                                                                                         |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Screen size:                | 21.5 "                                                                                                                                  |
| Native resolution:          | 1920 x 1080 px                                                                                                                          |
| Aspect ratios:              | 16 : 9                                                                                                                                  |
| Matrix type:                | TFT LCD, E-LED backlight, Matte matrix                                                                                                  |
| Contrast:                   | 3000 : 1                                                                                                                                |
| Brightness:                 | 250 cd/m <sup>2</sup>                                                                                                                   |
| Viewable angles:            | 178 ° horizontal<br>178 ° vertical                                                                                                      |
| Response time:              | 6.5 ms (typical)                                                                                                                        |
| Speakers built-in:          | —                                                                                                                                       |
| Signal connectors:          | <ul style="list-style-type: none"><li>• 1 x HDMI 1.4</li><li>• 1 x VGA</li><li>• 1 x Power supply - 2.1/5.5 mm socket 12 V DC</li></ul> |
| Number of displayed colors: | 16.7 M                                                                                                                                  |
| Refresh frequency:          | 60 Hz                                                                                                                                   |
| HDCP:                       | ✓                                                                                                                                       |
| Housing type:               | Plastic, Narrow profile                                                                                                                 |
| Power management:           | Energy efficiency class D (Regulation (EU) 2019/2013)                                                                                   |
| DLNA:                       | —                                                                                                                                       |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                        |                                                                                                                                                                                              |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Monitor mounting standard:             | VESA 75                                                                                                                                                                                      |
| Robbery protection:                    | Kensington-lock compatible                                                                                                                                                                   |
| Parameters adjustment:                 | OSD - by monitor control keys                                                                                                                                                                |
| Designed to continuous operation 24/7: | ✓                                                                                                                                                                                            |
| Main features:                         | <ul style="list-style-type: none"> <li>• 3D Noise Reduction</li> <li>• LowBlue - The blue light reduction function, which is the most unhealthy for the eyes, limits its emission</li> </ul> |
| Main features:                         | HDMI cable included                                                                                                                                                                          |
| Power supply:                          | 12 V DC / 2 A (power adapter included)                                                                                                                                                       |
| Power consumption:                     | <ul style="list-style-type: none"> <li>• ≤ 22 W (operation)</li> <li>• ≤ 0.5 W (in standby mode)</li> </ul>                                                                                  |
| Weight:                                | <ul style="list-style-type: none"> <li>• 2.70 kg (with stand)</li> <li>• 2.46 kg (without stand)</li> </ul>                                                                                  |
| Dimensions:                            | <ul style="list-style-type: none"> <li>• 492 x 390 x 200 mm (with stand)</li> <li>• 492 x 290 x 44 (without stand)</li> </ul>                                                                |
| Manufacturer / Brand:                  | Hikvision                                                                                                                                                                                    |
| SAP Code:                              | 302504398                                                                                                                                                                                    |
| Guarantee:                             | <b>3 years</b>                                                                                                                                                                               |

## PRESENTATION

Front view:



OSD menu control keys:



Rear view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Monitor connectors:



Dimensions:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

