

Code: DS-D5B65RB/A

INTERACTIVE WHITEBOARD **DS-D5B65RB/A** 65 " - 4K UHD Hikvision

Net: **825.72 EUR** Gross: **825.72 EUR**

The Hikvision Smart Interactive Whiteboard is an "all-in-one" device. The DS-D5B65RB/A device is perfect for a conference room, combining the functions of a whiteboard, projector and desktop PC.

The Wi-Fi connection supports one-touch wireless projection from a laptop, tablet or mobile phone. The screen content can be easily shared wirelessly to multiple devices. The 4K UHD touchscreen is a DLED matrix} with an anti-reflective coating, it also supports writing functions with a stylus pen (up to 20 points of simultaneous writing). The firmware supports office document and multimedia files.



SPECIFICATION

Screen size:	65 "
Native resolution:	3840 x 2160 px - 4K UHD
Aspect ratios:	16 : 9
Matrix type:	TFT LCD, DLED backlight - touch screen
Contrast:	1200 : 1 - static
Brightness:	350 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	6 ms (typical) - Shield
Speakers built-in:	2 x 16 W
Signal connectors:	<ul style="list-style-type: none">• 3 x USB 3.0• 2 x RJ45• 1 x RS-232• 2 x HDMI• 1 x HDMI output• 1 x Audio (Jack stereo) - 3.5 mm - In/out sockets• 1 x Touch port• 1 x Power supply

Main features:	<ul style="list-style-type: none"> • Android 8.0 system • Compatible with OPS/OPS-C devices and provides seamless switching between embedded systems, • Built-in Wi-Fi supporting Miracast functionality, • Bluetooth 5.0 interface - BLE Technology - Bluetooth Low Energy technology for energy-saving wireless connectivity, • External microphone input : Noise and echo reduction • touch screen - finger or stylus pen support : 20 writing points simultaneously • In the kit : <ul style="list-style-type: none"> - Bracket (wall-mounted) - Remote control - 2 x Stylus pen - Power cord
Housing type:	Metal
Power management:	—
Monitor mounting standard:	VESA 600x400
Robbery protection:	—
Parameters adjustment:	<ul style="list-style-type: none"> • OSD - by IR remote controller • Graphic menu - touch control
Power supply:	100 ... 240 V AC
Power consumption:	<ul style="list-style-type: none"> • 250 W (operation) • 0.5 W (Standby mode)
Weight:	39.9 kg
Dimensions:	1507 x 905 x 86
Manufacturer / Brand:	Hikvision
Guarantee:	3 years

PRESENTATION

Front view:



USB connectors:



Switch:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:




Power socket:




Connectors:



Dimensions:



In the kit:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

