

Code: VCA-1/2000

VIDEO AMPLIFIER VCA-1/2000

Net: 27.40 EUR Gross: 27.40 EUR

The VCA-1/2000 is designed to amplification of the video signal transmitted via coaxial cable, what enables video transmission up to 2000 m distance. The control knob perform both gain adjustment and correction of frequency response functions. Together with increase of gain, the correction is deeper.

The amplifier must be used at the end of the transmission line (close to the monitor).



SPECIFICATION


Standard:	CVBS - PAL / NTSC
Device type:	Active
Power supply:	12 V / 60 mA (power adapter not included)
Number of channels:	1 Video
Video transmission range:	max. 2000 m
Video bandwidth:	0 ... 9 MHz
Coaxial socket impedance:	75 Ω
Coaxial socket type:	2 x BNC Straight socket
Main features:	- Distance range switch built-in - Signal correction
Weight:	0.07 kg
Dimensions:	120 x 61 x 30 mm
Manufacturer / Brand:	DELTA
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:




RANGE: 400-1200 METERS:



RANGE: 1200-2000 METERS:



Connection diagram:



- 1) Camera
- 2) Coaxial cable max. 2000m
- 3) Gain adjustment
- 4) Range switch
- 5) LED indicator
- 6) Power supply DC 12V/100mA
- 7) Monitor

OUR OPINIONS



- If the signal is transmitted for a longer distance than 1200 m there is a quality degradation of the received video signal.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

