

Code: SPY-CAM-5

INSPECTION CAMERA **SPY-CAM-5**

Net: **134.13 EUR** Gross: **134.13 EUR**



Specialized inspection mini camera with 1m tube. It is designed to remote inspection in hard to reach places. Camera has white light LEDs with adjustable illumination (it can work in full darkness conditions).

SPECIFICATION

Standard:	PAL
Sensor:	CMOS
Matrix size:	1.0 Mpx
Display:	3.5 " TFT LCD
Resolution:	320 x 240 px
Camera view angle:	60 °
"Index of Protection":	—
Main features:	<ul style="list-style-type: none">• The ability to view the camera image directly on the screen• Micro SD memory cards up to 32GB support (possible local recording) - 4 GB included• Ability to detach the monitor from the handle• Flashlight built-in• Camera has white light LEDs with adjustable illumination (it can work in full darkness conditions)
Additional accessories:	mirror, magnet, hook
Power supply:	6 V battery 4x LR6 (AA)
Housing:	Spy, Plastic
Operation temp:	0 °C ... 45 °C
Weight:	0.45 kg (total)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	<ul style="list-style-type: none"> • 8.5 mm (camera diameter) • 7 mm (cable diameter) • 1.0 m (cable length) • 95 x 117 x 228 mm
Guarantee:	2 years

PRESENTATION

The LCD monitor with handhold grip:



Inside the bracket there is a place for 4 AA batteries:



Side view:



Camera:



Monitor connectors:



Memory card slot:



Example of application:





Ability to detach the monitor from the handle:



In the kit:



All kit elements placed inside the aesthetic case:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

