

Code: PFH610V-IR

## OUTDOOR SIDE OPENING HOUSING **PFH610V-IR** DAHUA

Net: **231.98 EUR** Gross: **231.98 EUR**

Half-open housings allow to easy access to inside mounted elements in contrast to sliding housings. Attention: The camera ground shouldn't be connected to the housing ground.

Built-in Infra-Red illuminator enables night monitoring. The range of IR illumination according to the manufacturer data, depends on outer conditions (visibility - air transparency, environment, wall colors ie. scene reflectance).



### SPECIFICATION

External dimensions:	404 x 164 x 132 mm
Internal dimensions:	215 x 90 x 83 mm
Glass dimensions:	Ø 50 mm
Material:	Aluminum - powder painted / PC
Thermostat:	✓
IR illuminator:	100 m
Power supply:	24 V AC / 5 A (max)
"Index of Protection":	IP66
Vandal-proof:	IK10
Main features:	<ul style="list-style-type: none"><li>• The product is adapted to work outdoors (heater and fan cooler built-in)</li><li>• Bracket not included in the kit</li></ul>
Operation temp:	-40 °C ... 60 °C
Weight:	2.7 kg
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

### PRESENTATION


Side view:




Internal view of the housing:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60




Connectors:



Bottom view:



Dimensions:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------