

Code: EASY-SPLICER

OPTICAL FIBER FUSION SPLICER **EASY-SPLICER**

Net: 1 246.32 EUR Gross: 1 246.32 EUR



The EASY-SPLICER is Swedish made device that allows for quick and precise splicing of optical fibers with excellent performance. Due to its compact dimensions, the device is particularly recommended for the implementation of indoor FTTH (Fiber To The Home) installations. Built-in LCD monitor makes great visibility of spliced fibers and cores adjusting.

SPECIFICATION

Fiber optic type:	• Single-mode fiber • Multi-mode fiber • Multi-mode OM1
Cladding diameter:	125 μ m
Outer coating diameter:	250 / 900 μ m
Fiber cleaved length:	Length forced by the fiber holders
Orientation technology:	Cladding alignment - automatic, radial: V-groove
Display:	2.8 " LCD, color
Average fusion loss:	0.01 dB (MM) 0.03 dB (SM)
Average fusion time:	7 s
Average heat time:	60 s
Fusion programs:	Auto detection
Internal light:	✓
Internal heater:	✓
Set fusions parameters:	• Surface angle test • fiber forward (automatic) • prefuse power (automatic) • prefuse time (automatic) • arc power (automatic) • arc time, etc (automatic)
Fusion storage:	SD memory card max. 16 GB
Computer interface:	mini USB socket

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Battery power supply:	• 6 V DC / 1.5 A (power adapter included) • Li-Ion battery 7.4 V battery 2200 mAh
Operation temp:	0 °C ... 45 °C
Permissible relative humidity:	< 98 % (non-condensing)
Weight:	0.765 kg
Dimensions:	98 x 231 x 58 mm
Dimensions / weight of the kit with the case:	335 x 285 x 80 mm / 1.94 kg
Supported languages:	English, Czech, French, Spanish, German, Polish, Slovak, Turkish, Italian
Guarantee:	2 years

PRESENTATION

The device is tiny sizes:



Front panel:



Operation elements of the splicer:



Bottom view:



Side view:




Fiber holders (black - 250µm, blue - 900µm):



Fiber cleaver tool:





In the kit:



All kit elements placed inside the aesthetic case:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

