

Code: FERG-ARIVA-T30

HD DVB-T/DVB-T2 DIGITAL RECEIVER **FERG-ARIVA-T30** H.265/HEVC FERGUSON

Net: **20.00 EUR** Gross: **20.00 EUR**

Hybrid digital TV receiver FERG-ARIVA-T30 is one of the cheapest solutions allowing users of older TV sets to receive TV programs in the newer DVB-T2 system with the latest H.265/HEVC video compression standard.

The analog EURO/SCART connector enables cooperation with TV sets that do not have a digital input, e.g. CRT TV sets. You can use the HDMI connection to deliver HD quality signals to your TV.

The device plays pictures, music and videos - both in SD resolution and in high definition HD. The USB port allows to record video data (PVR) to external data media, such as hard disks or flash memory (pendrives).



SPECIFICATION

Input frequency:	177.5 ... 226.5 MHz , 474 ... 866 MHz
Input impedance:	75 Ω
Standard:	DVB-T / DVB-T2
Supported resolutions:	720 x 480 , 1280 x 720 - 720p , 1920 x 1080 - 1080p
Audio sampling:	32 kHz, 44.1 kHz, 48 kHz
Demodulation:	QPSK, 16-QAM, 32-QAM, 64-QAM, 128-QAM, 256-QAM
Image format:	4:3, 16:9
Audio decoder:	MPEG-1 layer I, II, PCM downmix, IEC958 S/PDIF, Dolby 5.1, Dolby downmix, Dolby Prologic 2 MPEG1, DD+ (E-AC-3)
Video decoder:	HEVC - H.265 10 bit, MPEG-4 AVC / H.264, MPEG-2 (MP@HL), MPEG-1
Supported audio formats:	MP3, OGG
Image formats:	JPEG, BMP
Connectors:	• HDMI 1.4b, • EURO (CVBS, RGB), • IEC socket, • USB 2.0, • RJ-45 - Ethernet

Main features:	• DVB-T2 HEVC H.265 compliance • 10-bit color depth signal support - 10-bit color tone depth • Full HD 1080p • SD and HD quality channels, Auto detection • Separate lists of favourite, TV and radio channels : 5 • Fast channel switching • Channel list edition • Automatic or manual search for available TV and radio channels • Teletext and screen text support • Audio description • Electronic Program Guide - EPG • Teletext • Multimedia player • Timer - recording scheduling • Firmware upgrade via USB port • parental control • LED display • Manual and OSD menu in Polish language • Automatic power-off
Power supply:	230 V AC
Power consumption:	≤ 7.5 W
Operation temp:	-5 °C ... 45 °C
Weight:	0.180 kg
Dimensions:	144 x 92 x 32 mm
Supported languages:	Polish, English, Croatian, Czech, French, Spanish, Lithuanian, German, Portuguese, Russian, Slovenian, Italian
Manufacturer / Brand:	FERGUSON
Guarantee:	2 years

PRESENTATION

Front panel:



Rear view:



Power connector:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:



OUR OPINIONS



- Very small dimensions of the device.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------