

Code: CV08-36/2

PAL VANDALPROOF CAMERA **CV08-36/2** 800 TVL, 960H 3.6 mm

Net: **25.05 EUR** Gross: **25.05 EUR**

The CV08-36/2 camera is equipped with very high resolution HDIS sensor. Due to above, this camera is perfect solution for surveillance systems requiring persons or vehicles recognition, for example at places like: buildings entrance, lobbys, lounges, etc. The ICR filter enables perfect colors reproduction in daylight and allows to support external IR illuminators.

Housing construction allows to mount the camera to the ceiling and the wall (image is right oriented in both cases).

The range of IR illumination according to the manufacturer data, depends on outer conditions (visibility - air transparency, environment, wall colors ie. scene reflectance).



SPECIFICATION

| | |
|---------------------------|--|
| Standard: | PAL |
| Sensor: | 1/3 " HDIS 139+8510 |
| Resolution: | 800 TVL, 960H |
| Lens: | 3.6 mm |
| View angle: | 67 ° (manufacturer data) 73 ° (our tests result) |
| Range of IR illumination: | 20 m |
| Video output: | 1 Vpp 75 Ω |
| Power supply: | 12 V / 320 mA |
| Main features: | <ul style="list-style-type: none">• ICR - Movable InfraRed filter• AGC - Automatic Gain Control• BLC - Back Light Compensation• Auto White Balance• Day/night mode |
| OSD menu: | — |
| Vandal-proof: | ✓ |
| Housing: | Dome - Metal |
| Color: | Dark graphite |
| "Index of Protection": | IP66 |
| Operation temp: | -10 °C ... 50 °C |
| Weight: | 0.27 kg |
| Dimensions: | Ø 93 x 70 mm |
| Guarantee: | 2 years |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Camera is out from clamping ring:



Mounting side view:



In the kit:



OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|