

Code: DS-D5022FC(EU)

MONITOR HDMI, VGA, CVBS, AUDIO **DS-D5022FC(EU)** 21.5 " Hikvision

Net: **229.10 EUR** Gross: **229.10 EUR**

The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination.



SPECIFICATION

Screen size:	21.5 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT LCD Matte matrix
Contrast:	1000 : 1
Brightness:	250 cd/m ²
Viewable angles:	170 ° horizontal 160 ° vertical
Response time:	5 ms (typical)
Speakers built-in:	2 x 2 W
Signal connectors:	• 1 x HDMI • 1 x VGA • 2 x BNC socket - CVBS, Output and input • 2 x Jack 3.5 mm socket - Audio, Output and input • 2 x RCA (CINCH) - Audio input • 1 x Power supply (2.5/5.5mm socket)
Number of displayed colors:	16.7 M
HDCP:	✓
Housing type:	Plastic
DLNA:	—
Monitor mounting standard:	VESA 100

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Robbery protection:	✓
Parameters adjustment:	OSD - by monitor control keys
Main features:	• 3D Comb Filter • 3D Noise Reduction • Auto Picture Adjustment • Designed to continuous operation 24/7
Power supply:	12 V DC / 3.0 A (power adapter included)
Power consumption:	• < 30 W (typical) • < 0.5 W (in standby mode)
Weight:	3.22 kg
Dimensions:	• 511 x 381 x 181 mm (with stand) • 511 x 313 x 45 (without stand)
Manufacturer / Brand:	Hikvision
SAP Code:	302501498
Guarantee:	3 years

PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:



Monitor connectors:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------