

Code: DHL49

MONITOR VGA, 2xVIDEO, DVI-D, HDMI **DHL49** 49 " DAHUA

Net: 1 544.71 EUR Gross: 1 544.71 EUR

CCTV monitor with solid metal housing. The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination.

Monitor can be mounted according to VESA 300 standard. The device is designed to continuous work in closed spaces.



SPECIFICATION

Screen size:	49 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT-LCD color matrix
Matrix backlight:	In LED technology
Supported standards:	PAL/NTSC
Contrast:	1100 : 1 (typical)
Brightness:	450 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	8 ms
Speakers built-in:	2 x 10 W
Signal connectors:	<ul style="list-style-type: none">• Composite Video (BNC) sockets: 2x in, 2x out• 1x VGA• 1x HDMI• 1x DVI• 2x RJ-45 - RS232• 1x Audio (Jack stereo)• 1x USB 2.0
Housing type:	Metal
Monitor mounting standard:	VESA 300
Power supply:	230 V AC
Power consumption:	<ul style="list-style-type: none">• 60 W (operation)• ≤ 1 W
Monitor control:	Remote control
Main features:	<ul style="list-style-type: none">• 3D Noise Reduction• 3D Comb Filter

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	0 °C ... 50 °C
Weight:	21.5 kg
Dimensions:	1127 x 667 x 56 mm
Supported languages:	English
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION



Side view:



Rear view:






Monitor connectors:



Dimensions:



In the kit:



OUR OPINIONS

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- LED matrix illumination technology (very good image contrast even at sunny room).
- Solid metal housing.



- A stand is not included.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

