

Code: SG-550V

HUNTING CAMERA SG-550V

Net: 119.32 EUR Gross: 119.32 EUR

Very good digital hunting camera, perfect to monitoring animals eg. in the forest, and also to surveillance houses, summer cottages, stores, etc. Due to above the illuminator is completely invisible to the human eye. Camera is triggering by PIR detector and based on its settings can take one image or a few images or records a video sequence. Minimal power consumption ensures very long and continuous operation time on batteries, even up to 3 months. Hunting camera is full hermetic and resistant to very different environment conditions. Warning! The hunting camera supports only SDHC cards and FAT32 file system.



SPECIFICATION

Sensor:	5 Mpx CMOS
View angle:	40 °
IR illuminator wavelength:	850 nm
Range of IR illumination:	15 m
Number of taking photos at once:	max. 3 still images
Built-in monitor:	1.7 " OSD control
Internal memory:	
External memory:	max. 8 GB SD memory card (not included)
Still image resolution:	5 Mpx (2560 x 1920)
Video sequence resolution:	640 x 480 (16 fps) 320 x 240 (20 fps)
Video sequence duration time:	1 ... 60 s
PIR detector:	Multi-zone, with adjustable sensitivity (3 levels)
PIR detection range:	25 m
Day/night mode:	✓
Battery power supply:	8 AA (Batteries), DC 6V/12W power adapter (not included)
Stand-by power consumption:	< 300 µA
Operating power consumption:	200 mA

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-20 °C ... 60 °C
Permissible relative humidity:	5 ... 90 % (non-condensing)
Dimensions:	133 x 81 x 51 mm
Weight:	0.20 kg
Guarantee:	2 years

PRESENTATION

Front view (IR illuminator, PIR detector, camera):



Side view:



Mounting side view:



Bottom view (power socket):



Bottom view (after remove the cover and open the casing flap there is an access to batteries place, SD memory card slot and power switch):




In the kit:



In the kit:



Package:



OUR TESTS

Consecutive frames of camera image. At full zoom the car plates are readable from ca. 30 m distance:



OUR OPINIONS



- Very good images quality.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------