

Code: HCB-26/940

HUNTING CAMERA **HCB-26/940**

Net: **175.19 CHF** Gross: **175.19 CHF**



Very good digital hunting camera, perfect to monitoring animals eg. in the forest, and also to surveillance houses, summer cottages, stores, etc. Built-in InfraRed illuminator enables recording video data also at night. Even with IR illuminator on, the device is completely invisible to the human eye, due to use the IR LEDs with 940 nm wavelength. Due to above the illuminator is completely invisible to the human eye. Camera is triggering by PIR detector and based on its settings can take one image or a few images or records a video sequence.

Minimal power consumption ensures very long and continuous operation time on batteries, even up to 6 months.

Hunting camera is full hermetic and resistant to very different environment conditions.

SPECIFICATION

Sensor:	5 Mpx CMOS
View angle:	52 °
IR illuminator wavelength:	940 nm (invisible to the human eye)
Range of IR illumination:	20 m
PIR detection range:	12 m
Number of taking photos at once:	max. 7
Built-in monitor:	2 " Parameters and options display, Live image view, Still images and video sequences playback
Internal memory:	—
External memory:	max. 32 GB SD memory card (not included)
Still image resolution:	12 Mpx (4000 x 3000) 8 Mpx (3264x2448) 5 Mpx (2592x1944)
Video sequence resolution:	1280 x 720 640 x 480 320 x 240
PIR detector:	12 m, angle 60 °
Video sequence duration time:	5 ... 60 s
Day/night mode:	ICR automatic filter
Power supply:	4 / 8 pcs AA (Batteries) DC 6V/12W power adapter (not included)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Stand-by power consumption:	150 μ A
Operating power consumption:	< 150 mA (600mA with IR illuminator on)
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	5 ... 90 % (non-condensing)
Dimensions:	134 x 99 x 78 mm
Weight:	0.31 kg
Supported languages:	English, Czech, French, German
Guarantee:	2 years

PRESENTATION

The bracket with batteries is detachable from hunting camera (convenient battery changing and possibility to view the data):



Bottom view (SD memory card slot, mini USB, AV and power sockets visible):



Inside the bracket there is a place for 4 AA batteries:



Mounting side view (the hunting camera bracket):



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



OUR OPINIONS



- Very long operation time with battery supply.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

