

Code: ACU-220/IT

WIRELESS SYSTEM CONTROL **ACU-220/IT** ABAX2 SATEL

Net: **277.04 EUR** Gross: **277.04 EUR**



The ACU-220/IT controller makes it possible to use wireless ABAX2 system devices with INTEGRA, INTEGRA Plus and VERSA control panels.

The ACU-220/IT module supports up to 48 wireless devices and, additionally, provides a number of tools streamlining installation and consecutive system maintenance.

SPECIFICATION

Support:	ABAX2
Inputs:	4 pcs programmable
Outputs:	8 pcs programmable
Number of supported wireless devices:	max. 48
Frequency band:	868 MHz ... 868.6 MHz
Range:	≤ 2000 m - in open area
Main features:	<ul style="list-style-type: none">• Bidirectional encrypted radio communication• Support for up to 6 wireless keypads• Support for up to 256 keyfobs APT-200• Connecting to the INTEGRA / INTEGRA Plus / VERSA panels via communication bus• Firmware update without need to unmount the device• Tamper protection (detection of removing from mounting surface and enclosure opening)• Possibility of autonomous operation or cooperation with any alarm control panel• Additional 4 outputs signaling controller status and connections to wireless devices
Power supply:	12 V DC
Current consumption:	max. 100 mA
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 %
Weight:	0.222 kg
Dimensions:	159 x 126 x 32 mm
Manufacturer / Brand:	SATEL

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:


2 years

PRESENTATION

Internal view of the housing:




Configuration switches:



Connectors:





Rear view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

