

Code: FPPCX46L-APP/AM

## ALARM CONTROL PANEL **FPPCX46L-APP/AM** PYRONIX

Net: **1 586.74 SEK** Gross: **1 586.74 SEK**

The FPPCX46L-APP/AM alarm control panel is intended for security of small and medium-sized facilities, offering comprehensive functionality in the field of security systems.



### SPECIFICATION

Mainboard inputs:	8 pcs
Mainboard outputs:	13 pcs
Maximal number of supported inputs:	46 pcs
Maximal number of supported outputs:	67 pcs
Users + admins:	100
Partitions:	—
Zones:	8
Events memory:	1250
Timers:	—
Supported keypads:	8 pcs ( 6 pcs wire )
Access from PC:	<ul style="list-style-type: none"><li>• Remote control of the outputs and configuration via web browser.</li><li>• RS-232</li></ul>
Mobile phones support:	<ul style="list-style-type: none"><li>• Android: Free application <a href="#">HomeControl+</a></li><li>• iOS: Free application <a href="#">HomeControl+</a></li><li>• Remote control of the control panel via SMS</li></ul>
Keyboard included:	—
Enclosure included:	✓
Protection class (Grade):	3
Power supply:	230 V AC


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Operation temp:	-10 °C ... 40 °C
Dimensions:	390 x 305 x 100 mm
Weight:	5.28 kg (with enclosure and accessories)
Manufacturer / Brand:	PYRONIX
SAP Code:	361300171
Manufacturer's code:	PCX46L-APP/AM
Guarantee:	2 years

## PRESENTATION

Internal view of the housing:







Mounting side view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------