

Code: JA-83K

ALARM CONTROL PANEL **JA-83K** JABLOTRON

Price visible after login

Advanced alarm control unit providing alarm functions and optional implementation of home automation and access control systems. System operation is possible with LCD keypads, partition keypads, keyfobs and proximity cards or remotely with PC or mobile phone. Flash firmware upgrade with a PC.




SPECIFICATION

Mainboard inputs:	10 pcs (up to 30 with two JA-82R modules)
Mainboard outputs:	<ul style="list-style-type: none">• 2 pcs PGX, PGY• 2 pcs Outputs for indoor and outdoor siren
Maximal number of supported inputs:	50 pcs (connected to the digital BUS panel)
Maximal number of supported outputs:	2 pcs (connected to the digital BUS panel)
Support:	JABLOTRON 80
Users + admins:	50
Partitions:	—
Zones:	3
Events memory:	255
Timers:	—
Supported keypads:	The number is limited by maximal current consumption from the bus
Keyboard included:	—
Enclosure included:	✓
Protection class (Grade):	2
Power supply:	230 V AC
Operation temp:	-10 °C ... 40 °C
Permissible relative humidity:	93 %
Dimensions:	360 x 300 x 105 mm
Weight:	2 kg (with enclosure and accessories)
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Control panel mainboard:



Internal view of the housing:



Mounting side of the housing box:



Bottom view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60