

Code: INT-KSG2R-B

## SENSORIC KEYPAD FOR ALARM CONTROL PANEL **INT-KSG2R-B** SATEL

Net: **169.11 EUR** Gross: **169.11 EUR**

The INT-KSG2R-B sensoric keypad does not only stand for attractive design, but also for simplification for the daily operation of advanced alarm systems and home automation using the functionalities of the INTEGRA, INTEGRA Plus, PERFECTA 64 M control units.

With the MAKRO functions, a whole sequence of actions can be performed through a single command. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.



### SPECIFICATION

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:             | INTEGRA, INTEGRA Plus, PERFECTA 64 M                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Main features:       | <ul style="list-style-type: none"><li>• Large, easily readable LCD with backlight displaying detailed information on system state</li><li>• 2 Inputs - INTEGRA, INTEGRA Plus only<ul style="list-style-type: none"><li>- Vibration detectors and rollerblinds detectors support</li><li>- EOL, 2EOL, 3EOL configurations support</li><li>- EOL resistors - programmable EOL resistance value</li></ul></li><li>• LEDs indicating device operation state</li><li>• customizable standby screen with possibility of individual set of displayed information</li><li>• 4 extra menus (up to 16 items each) and quick access functions defined by the installer</li><li>• MAKRO features that activates sequence of actions with a single key</li><li>• Alarms: keypad hold-down PANIC, FIRE and AUX</li><li>• easy operation of the multi-zone systems</li><li>• Touch and backlit keyboard buttons</li><li>• Swipe gesture support (menu navigation)</li><li>• Buzzer for acoustic signaling of some system events</li><li>• 13.56 MHz S50 proximity reader built-in (supported by the INTEGRA series control panels) - for future applications</li><li>• Firmware upgrade via RS-485 port</li><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li></ul> |
| Power supply:        | 12 V DC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Current consumption: | 155 mA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Color:               | Black                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Weight:              | 0.22 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Dimensions:          | 132 x 129 x 16 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                       |         |
|-----------------------|---------|
| Manufacturer / Brand: | SATEL   |
| Guarantee:            | 2 years |

## PRESENTATION

Front panel:




Mounting side view:




Connectors:



Internal view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60