

Code: TPR-2W

GRAPHIC KEYPAD FOR ALARM CONTROL PANEL **TPR-2W** ROPAM

Net: **79.52 EUR** Gross: **79.52 EUR**

The TPR-2W sensoric keypad does not only stand for attractive design, but also for simplification for the daily operation of advanced alarm systems and home automation using the functionalities of the NeoGSM / NEO control units.



SPECIFICATION

Support:	NEO-GSM-PS2, NEO
Main features:	• 3.5 " - capacitive touch screen : 320 x 240 px • LEDs indicating device operation state • Sound signaling • Control of the outputs of the panel • Quick control of the relay output : max. 1 A, 30 V DC / 50 V AC • Status bar with additional information about system status • Built-in temperature sensor • Recording the temperature history from two temperature sensors and the analog input on the SD card • Alarm inputs : 2 pcs • Screen saver with calendar/clock and or photo frame function • The ability to firmware upgrade • SD card support: plan of the building (synoptic table) and digital photo frame • Microswitch as tamper contact • Memory card slot - SD
Power supply:	8 V ... 14 V DC
Current consumption:	max. 120 mA
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	0.160 kg
Dimensions:	116 x 90 x 27 mm
Manufacturer / Brand:	ROPAM
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front panel:



Memory card slot:



Internal view of the housing:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60