

Code: INT-TSG2R-W

GRAPHIC KEYPAD FOR ALARM CONTROL PANEL **INT-TSG2R-W** SATEL

Net: **2 814.60 SEK** Gross: **2 814.60 SEK**

The INT-TSG2R-W sensoric keypad does not only stand for attractive design, but also for simplification for the daily operation of advanced alarm systems and home automation using the functionalities of the INTEGRA, INTEGRA Plus, VERSA control units.

With the MAKRO functions, a whole sequence of actions can be performed through a single command.



SPECIFICATION

Support:	INTEGRA, INTEGRA Plus, VERSA, PERFECTA 64 M
Main features:	<ul style="list-style-type: none">• Large, easily readable LCD with backlight displaying detailed information on system state• 4.3 " capacitive touch screen 480 x 272 px• Clear graphical interface• LED indicators displaying the device's operating status• 13.56 MHz S50 proximity reader built-in• 2 Inputs - INTEGRA, INTEGRA Plus only• EOL, 2EOL, 3EOL configurations support• MAKRO features that activates sequence of actions with a single key• easy operation of the multi-zone systems• Alarms: keypad hold-down PANIC, FIRE and AUX• Buzzer for acoustic signaling of some system events• Panel communication loss indication• Tamper detection - opening the enclosure, removing from mounting surface• Memory card slot - microSD• Screen saver with calendar/clock and or photo frame function
Power supply:	12 V DC
Current consumption:	max. 165 mA
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	0.16 kg
Dimensions:	120 x 92 x 14 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:




View after remove the cover:



Memory card slot:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------