

Code: DS-PD TT15AM-LM-WE

WIRELESS DUAL TECHNOLOGY MICROWAVE + PIR DETECTOR AX PRO **DS-PD TT15AM-LM-WE** Hikvision

Net: 298.95 USD Gross: 298.95 USD



Wireless motion detector, which is designed to detect the moving intruder within the system protected area. With a combination of PIR and MW detection was reached high immunity to false alarms. Thanks to pet immunity, the DS-PD TT15AM-LM-WE can provide protection even when small pets are moving around during surveillance.

It can be used outdoors.

SPECIFICATION

Support:	Wireless alarm systems HIKVISION AX PRO
Frequency band:	868 MHz
Radio communication range (at open area):	max. 1600 m
PIR detection range:	15 m / 90 ° ... 180 °
Power supply:	5 x CR123A 3 V Lithium battery (included)
Battery working time (in energy saving mode):	~ 5 years
Target speed range:	0.3 ... 2 m/s
Recommended installation height:	0.8 ... 1.2 m
Pet immunity:	≤ 40 kg
Main features:	• Passive Infra Red (PIR) and microwave (MW) • Active IR Anti-Masking • Sensitivity adjustment • 24 GHz Microwave detection based on Doppler concept • Advanced temperature compensation • Remote configuration • Tamper protection (detection of removing from mounting surface and enclosure opening) • Bidirectional communication • Compliance with the Tri-X protocol • AES-128 data encryption • Frequency hopping against jamming for reliable transmission
Color:	White

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

"Index of Protection":	IP65
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 % ... 90 %
Weight:	0.47 kg
Dimensions:	75 x 202 x 73 mm
Manufacturer / Brand:	Hikvision
SAP Code:	314300256
Guarantee:	2 years

PRESENTATION

Internal view:





Particular elements:




Place for batteries 5 x 3V CR123A:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

