

Code: CA139-VDE

## POWER SUPPLY ADAPTER CA139-VDE

Net: 24.06 EUR Gross: 24.06 EUR

The CA139-VDE power supply allows to supply 4 device sections. The maximum load for each section is 12V<sub>DC</sub> / 700mA.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current.

Please pay attention for proper cooling conditions of the power adaptor during work!

The Power Supply Unit complies with the ecodesign requirements (ErP 2009/125/EC Directive and its implementing Regulation No. 278/2009 regarding external power supplies). The device meets, among others, the requirements of the average active efficiency and power consumption at no-load condition.



### SPECIFICATION

|                            |  |
|----------------------------|--|
| Adapter type:              | Switching  |
| Power voltage:             | 230 V AC   |
| Voltage frequency range:   | 50 / 60 Hz   |
| Output voltage:            | 12 V DC  |
| Output voltage adjustment: | —  |
| Maximal load:              | 4 x 0.7 A / 2.8 A (total)  |
| Output power:              | 34 W   |
| Protections:               | Overload   |
| Number of outputs:         | 4 pcs  |
| Power connectors type:     | <ul style="list-style-type: none"><li>• 230 V CEE 7/16</li><li>• 12 V - 2.1/5.5 mm Straight plug</li></ul> |
| Housing type:              | Desktop  |
| Weight:                    | 0.30 kg  |
| Dimensions:                | 150 x 70 x 31 mm   |
| Guarantee:                 | 2 years  |

### PRESENTATION


Mounting side view:



Connectors:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60





**PACKAGE**

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

