

Code: 12V/4A/5.5

## POWER SUPPLY ADAPTER 12V/4A/5.5

Net: 3 489.52 HUF Gross: 3 489.52 HUF



Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current. Please pay attention for proper cooling conditions of the power adaptor during work!

### SPECIFICATION

Model identifier:	12V/4A/5.5
Input voltage:	100 - 240 V AC
AC input frequency:	50 / 60 Hz
Output voltage:	12.0 V DC
Output current:	4.0 A
Output power:	48.0 W
Average efficiency during work:	87.8 %
Efficiency at low load (10%):	84.5 %
No-load power consumption:	< 0.10 W
Adapter type:	Switching
Protections:	Overload
Output voltage adjustment:	—
Number of outputs:	1 pcs
Power connectors type:	<ul style="list-style-type: none"><li>• 230 V CEE 7/16</li><li>• 12 V - 2.1/5.5 mm Straight plug</li></ul>
Housing type:	Desktop
Weight:	0.31 kg
Dimensions:	120 x 55 x 38 mm
Guarantee:	2 years


### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



connector:





**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

