

Code: HDR-60-24

SWITCHING ADAPTER **HDR-60-24** MEAN WELL

Net: **9 300.93 HUF** Gross: **9 300.93 HUF**

Switching adapter installed on the TS35/7.5 or 15 DIN rail, resistant to high operation temperatures (up to 70°C).

Attention! The -V terminals are physically shorted together, as are the +V terminals.



SPECIFICATION

Adapter type:	Switching
Power voltage:	• 85 ... 264 V AC • 120 ... 370 V DC
Output voltage:	24 V DC
Output voltage adjustment:	21.6 ... 29 V DC
Maximal load:	2.5 A
Output power:	60 W
Number of outputs:	1 pcs
Efficiency:	90 %
Housing type:	DIN
Protections:	• Short-circuit • Overload • Overvoltage
Operation temp. / Relative humidity:	-30 °C ... 70 °C / 20 ... 90 %
Weight:	0.19 kg
Dimensions:	93 x 52.5 x 58 mm
Manufacturer / Brand:	MEAN WELL
Guarantee:	3 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Side view:




Adapter connectors:



Rear panel (DIN rail installation):



Dimensions:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------