

Code: DS-PD1-MC-WWS(P)

WIRELESS MAGNETIC CONTACT **DS-PD1-MC-WWS(P)** Hikvision

Net: **982.04 CZK** Gross: **982.04 CZK**

The DS-PD1-MC-WWS(P) wireless detector (magnetic contact) is used to protection the windows and doors. The detector is also designed to detect the mishandling of security roller blinds.

The device communicates with alarm control panel wirelessly via Pyronix protocol.



SPECIFICATION

Support:	Wireless alarm systems HIKVISION AX / PYRONIX Enforcer
Detection:	• Opening the door or window • Tamper detection - opening the enclosure, removing from mounting surface
Alarm signaling:	Signal to control panel
Frequency range:	868 MHz
Radio communication range (at open area):	max. 800 m
Alarm inputs:	—
Battery:	1 x 3 V CR123A (included)
Backup time:	~ 2 years
Operation temp:	-10 °C ... 40 °C
Weight:	0.07 kg
Dimensions:	• 105 x 26 x 27 mm - Reed switch • 50 x 15 x 14 mm - Magnet
Manufacturer / Brand:	Hikvision
SAP Code:	302401121
Guarantee:	2 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view of the housing:





Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------